





NOTICE

Before using this product, read the entire label

Foliar Potash™

UK FERTILISER

PK fertiliser solution 5.6 - 32.7

Guaranteed analysis - soluble in water:

5.6% (= 87 g/l) Phosphorus Pentoxide (P₂O₂)

[2.5% Phosphorus (P)],

32.7% (= 508 g/l) Potassium Oxide (K₂O)

[27.1% Potassium (K)]

Also Contains:

0.2% (= 3 g/l) Boron (B)

0.035% (= 0.5 g/l) Molybdenum (Mo)

To be used only where there is a recognised need. Do not exceed the application rate.

INFORMATION FOR ROLMARKET

PFC 1(C)(I)(b)(ii) Compound liquid Inorganic macronutrient fertilizer PK 5.6-32.7 with micronutrients Liquid Solution

Content % w/w:

5.6% (= 87 g/l) Total Phosphorus Pentoxide (P₂O₅) (5.6% Phosphorus Pentoxide (P₂O₅) water soluble) 32.7% (= 508 g/l) Potassium Oxide (K₂O) water soluble

0.2% (= 3 g/l) Boron (B) as boric acid, water soluble 0.035% (= 0.5 g/l) Molybdenum (Mo) as sodium salt, water soluble

Ingredients: Potassium carbonate CAS n° 584-08-7 (CMC 1: Virgin material substances and mixtures), tetrapotassium pyrophosphate CAS n° 7320-34-5 (CMC 1).

To be used only where there is a recognised need. Do not exceed the application rate.

Batch Number/ Manufacture Date: See Top of Pack

Produced and Distributed by: **Yara UK Limited.**Pocklington Industrial Estate, Pocklington, York. YO42 1DN

Tel: 01759 302545 www.yara.co.uk

ROI: Imported by: **Yara UK Limited.** The Old Rectory, Cork Road, Carrigaline, P43 W921. County Cork.

Tel: +44 1472 889 250 www.yara.ie

YaraVita™ Foliar Potash™

APPLICATION RATES AND TIMINGS

Apple: 5 l/ha at bud burst. Also, two to three applications of 2 to 3 l/ha at 10 to 14 day intervals starting at petal fall. A further application of 5 l/ha may also be applied post-harvest before leaf fall. Water rate: 500 l/ha. **Blackcurrant:** 5 l/ha at start of flowering.

Water rate: 200-500 l/ha.

Broccoli, Brussel Sprouts, Cabbage, Calabrese,

Cauliflower: 5 l/ha at the 4 to 6 leaf stage. Repeat as required for moderate to severe deficiency at 7 to 14 day intervals. Water rate: 200 l/ha

Carrot: 5 l/ha when crop is 15 cm tall. Repeat if necessary at 10 to 14 day intervals. Water rate: 200 l/ha.

Cereals: 5 l/ha from early tillering to 2nd node detectable (Zadoks G.S. 21 to 32). Repeat at 10 to 14 day intervals

between these growth stages as necessary.

Water rate: 200 l/ha.

Cherry: 3 applications of 3 to 5 l/ha from stone hardening, with repeat applications at 10 to 14 day intervals. Also apply at the same rate post-harvest before leaf fall. Water rate: 500 to 1.000 l/ha.

Maize: 5 l/ha at the 4 to 8 leaf stage.

Water rate: 200 l/ha.

Oilseed Rape: 5 l/ha at the 4 to 6 leaf stage. Repeat as required for moderate to severe deficiency at 7 to 14 day

intervals. Water rate: 200 l/ha.

Pears: 5 I/ha at bud burst. Also, two to three applications of 5 I/ha at 10 to 14 day intervals starting at petal fall. A further application of 5 I/ha may also be applied post-harvest before leaf fall. Water rate: 500 I/ha.

Peas: 5 I/ha before flowering. Water rate: 200 I/ha.

Potatoes: One application of 10 I/ha or two applications of

or the application of the order of the order

Strawberry (Field Grown), Raspberry: 5 l/ha at green bud. Water rate: 200-500 l/ha.

PROTECTED CROPS

0.3 litres per 100 litres water maximum concentration. Water rate: 1000 l/ha maximum. Refer to equivalent field grown crop for application timing.

For further advice and product information please scan the QR code using your smart phone.



ROI



DIRECTIONS FOR USE ALWAYS FOLLOW THESE LABEL INSTRUCTIONS

Mix the product thoroughly before use. Slowly add the product to the tank, via the induction hopper, whilst agitating. Top up with water and continue to agitate until spraying is completed.

TANK MIXING/CO-APPLICATION

Read ALL labels carefully and adhere strictly to the instructions for use. Co-application is entirely at the risk of the end-user. Before co-application of products you, or your advisor, must visit www.tankmix.com for important information. Alternatively, contact Yara for specific advice.

Only to be used on protected crops if specifically listed. Avoid application under extremes of climate, e.g. rapid drying conditions, extremely slow drying conditions, frost, rain, or when frost or rain are anticipated. Wear suitable gloves and face shield when handling this product. Clean all equipment before and after use. Please refer to the MSDS for further information, available at www.yara.com.

STORAGE

Keep in a cool, dry chemical store, out of reach of children and livestock. Protect from temperature extremes $(-5^{\circ}\text{C} < \text{and } 35^{\circ}\text{C})$. Dispose of contents and container in accordance with all local, regional, national and international regulations.

CONDITIONS OF SALE

This Product is sold subject to the seller's Terms and Conditions of Sale, which are available upon request. Use of the Product is acceptance by the buyer of the Terms and Conditions of Sale.





23122 V12.22



UN 3266

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (tetrapotassium pyrophosphate, potassium carbonate)

UFI: NRFO-10SG-J00W-SJ47

Danger

Hazardous ingredients: potassium carbonate, tetrapotassium pyrophosphate, tetrasodium ethylene diamine tetraacetate, boric acid

H290: May be corrosive to metals. H314:Causes severe skin burns and eye damage. H335: May cause respiratory irritation. H360FD: may damage fertility. may damage the unborn child. P280: Wear protective gloves and eye/face protection. P202: Do not handle until all safety precautions have been read and understood. P260:Do not breathe gas or vapour.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P303+P361+P353+P234: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Keep only in original packaging.

Yara UK Limited. Pocklington Industrial Estate, Pocklington, York. YO42 1DN Tel: 01759 302545